


2-Oxabicyclo[2.2.2]octane: A New Bioisostere of the Phenyl Ring


V. Levterov, Y. Panasyuk, K. Sahun, O. Stashkevich, V. Badlo, O. Shablykin, I. Sadkova, L. Bortnichuk, O. Klymenko-Ulianov, Y. Holota, L. Lachman, P. Borysko, K. Horbatok, J. Bas, P. Mykhailiuk

Introduction and Aim


More than five hundred drugs contain a fragment of *para*-disubstituted benzene. However, organic compounds with more than two phenyl rings often suffer from poor solubility and low metabolic stability.¹⁻³ We have developed an "*ideal*" saturated bioisoster of the *para*-substituted phenyl ring, - 2 oxabicyclo[2.2.2]octane. Its incorporation into *Imatinib* drug led to dramatic improvement of all physicochemical properties. This study opens new horizons in science, given the commonplace of the phenyl ring everywhere. In this work, we have rationally designed, synthesized, and characterized the ideal bioisoster of the *para*-substituted phenyl ring – 2-oxabicyclo[2.2.2]octane.⁴




Synthesis




Modifications



Physicochemical properties



Results



Contact

Pavel K. Mykhailiuk, Dr. Sci. pavel.mykhailiuk@gmail.com, mykhailiukchem.org Enamine Ltd, www.enamine.net 78 Chervonotkatska St, 02094, Kyiv, Ukraine

References

- 1. F. Lovering et al. J. Med. Chem. 2009, 52, 6752-6756.
- 2. J. B. Geri *et al. Science* **2020**, *367*, 1091-1097.
- 3. A. F. Stepan et al. J. Med. Chem. 2012, 55, 3414-3424.
- 4. V. V. Levterov et al. Submitted.